

EGG SHAPE INSPIRED SPACE

Smart toilet



MULTIPLE PROGRESS



No water pressure limit



Egg-shaped aesthetics



Super spin siphonic



Intelligent sensing

Four washing modes



Female wash



Rear wash



Massage wash



Child wash

INNOVATIVE EGG SHAPE

The egg-shaped design is not dull but more flexible.



IAI Global design award

The appearance has high recognition, and the experience is more than expected.

SMART TOILET

BUILD IN WATER TAN NO WATER PRESSURE

Suitable for high floors/old housing estate/peak
water usage periods.



SUPER SPIN SIPHONIC STRONG FLUSHING

High-speed pressurization, the strong siphon of
S bend take away dirt.



FIRST

Supercharge

Rush out strong current

SECOND

Super spin siphonic

No dead angle and no residue

THIRD

Jet water column

Push the dirt away quickly


ANTIBACTERIAL CERAMIC GLAZE

Inhibiting bacterial activity,keep the toilet healthy and clean.



SIAA Seat ring

Avoid bacterial growth effectively



Inspection report

Antibacterial certification number:

CN0112389A0001R

Report number: 2020FM27761R01



COMFORT ADVANCED

WASHING FOUR MODES

Dividing multiple spray holes and different water pressures.



Female wash



Rear wash



Child wash



Massage wash


Four levels of water temperature



TWO WATERWAYS

FRESH WATER

One waterway for flushing and the other waterway for cleaning.





Instant heating

Running water heat up in 0.1s

Wash without waiting

HEATING SEAT RING

WARM BACKSIDE

It will remain constant after setting the fixed temperature.



Four levels of seat temperature



Normal temp

34°C

37°C

40°C

INTELLIGENT CONTROL

AUTO OPEN/ CLOSE
AUTO FLUSHING

No need to use hands and bend over.



MEN USE



Auto open lid when
close to 20cm



Foot kick to open
seat ring



Stand position
using



Auto flush and
close lid

WOMEN USE



Auto open lid when
close to 20cm



Sit position
using




Auto flush after
leaving seat ring



Auto close lid
after flushing

8 Levels of sensing distance

Unit: cm



According to the bathroom size and living habits, it is suitable for different house type.

BOTH SIDE BUTTONS RECORD HABITS

Switching different functions and user preference modes.



Right button

Habit of a family of three
Independent setting mode

Dad's settings

Mom's settings

Baby's settings

Left button

Female wash, rear wash and flush/stop

Female wash

Rear wash

Flush/stop


REMOTE CONTROL SIMPLE OPERATION

All functions are clear, and the operation is simple and quick.



PROTECT CAREFULLY

Eight safety protection,enjoying worry-free bathroom life.




Wind Temp
Protection



Seat Temp
Protection



Pressure Relief
Protection



IpX4 Waterproof



Earth Leakage
Protection



Flame Retardant
Protection





Voltage Protection



Water Temp
Protection

MORE DETAILS



VERSION SELECTION

S-trap




P-trap




INSTRUCTIONS

Dimensional specification



Unit: mm



Smart toilet installation

Before installation, open the angle valve to drain water for 1-2 minutes and clear the embedded water pipe. Impurities and sludge to avoid clogging affect the cleaning function of the smart toilet


ADJUSTABLE WALL DRAIN



INSTALLATION EXAMPLE




The sealing ring of the white joint after gluing, covers the toilet drain.



With the other end glued put into the wall drain, glue smooth.



After the blowdown line is installed glue both ends and secure.



The wall row smart toilet is installed.

PRODUCT PARAMETER

Product type:

Intelligent toilet

Rated voltage:

220V-50HZ

Cover material:

ABS Material

Flush way:

Ultra-vortex siphon

Drainage way:

S-trap / P-trap

Weight:

52KG

Water usage:

4.8L

Sitting height:

420mm

Wire length:

1.5m

Product size:

695*490*535mm

Pit distance:

S-trap:200-450mm P-trap:180mm

Ceramic seat ring:

340*330mm

Cover plate seat ring:

310*220mm

Water temp:

• **Normal temp** • **34°C** • **37°C** • **40°C**

Seat temp:

• **Normal temp** • **34°C** • **37°C** • **40°C**

Wind temp:

• **Normal temp** • **45°C** • **50°C** • **55°C**

