

WASHUTO

COSYNC.,JSC

Contact Person: Ms Ly

Add: SH09, TT2, Starlake Tay Ho Tay, Xuan Dinh, Hanoi.

Website: www.washuto.com


Telephone number: +84 98155-1855

Email: washutoinfor@gmail.com



WASHUTO
Smart washlet

PRODUCT CATALOGUE



Smart Toilet Laboratory


Based on "Precision Engineering · Quality Excellence", our Smart Toilet Laboratory enables smart manufacturing, testing, and R&D. It includes comprehensive testing equipment (aging, electrical safety, IPX4, climate chambers, salt spray, water efficiency, seat tests, drainage, drop, etc.) plus dedicated aging workstations for key components (sensors, dryers, washing systems, remotes, valves, power cords), ensuring reliability from component to finished product.

Product Production Process

The process starts with incoming inspection of components, followed by assembly, in-process quality checks, functional testing, and aging verification. After final inspection and cleaning, the product is packaged and moved to finished goods storage for shipment.



NO.1 Comprehensive Life Aging Test (Endurance Test)



NO.2 Electrical Safety Compliance Analyzer(ESCA)



NO.3 Spray & Waterproof Zone IPX4



NO.4 Constant Temperature & Humidity Chamber



NO.5 Salt spray test chamber



NO.6 Comprehensive Tester




NO.7 Water Efficiency Workstation



NO.8 Seat Ring Swing Test



NO.9 Module aging tester



NO.10 Drainage Simulation Platform



NO.11 Drop testing machine

Six Intelligent Systems – A Pyramid of Core Functionality to Premium Value



① Hygiene Protection

integrates advanced filtration, sterilization, and self-cleaning technologies to ensure maximum cleanliness and safety.



② Comfort Features

Heated seat with adjustable temperature
Warm air drying for added comfort
Soft-close lid for quiet use



③ Smart Control

One-touch operation for easy use
Remote & side panel control options
Memory function for personalized settings



④ Cleansing System

Rear & feminine wash functions
Adjustable water pressure and temperature
Oscillating wash for better coverage



⑤ Smart Flushing

Automatic flushing after use
Dual flush for water efficiency
Powerful yet quiet flushing performance



⑥ Energy Saving & Safety

Energy-saving mode for lower consumption
Overheat and leakage protection
Safe and stable electrical system





60

CM
Small-space ideal –
skip the 60cm bulk.



68cm long model –
cramped and takes up
too much space.

COMPACT SERIES

X series

Long on comfort, short on footprint.
Ideal for small-space living.



Splash massage



Intelligent Dual Flush



Invisible Foot sensor flushing



Automatic Seat Cover Closure and
Flushing upon Departure



Men's urinal shield



Hidden foam solution



Ideal for small-space living



Powerful Air Drying



Water filter



Ceramic tank



No water
pressure limit



Night
ambient light




X20 (With water tank)



SIZE: 600x380x455mm
Heating method: Instant heating type
Roughing-in: S-trap 300/250/220mm
Rated voltage: 220V/110V~

Color optional:



B	Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position,Children washing,Instant water heating,Off-seat flushing,Invisible Foot sensor flushing,Smart dual flushin,silent flushing,Power-off flushing(optional),Heated seat,Adjustable Seat temp,Powerful air Drying,Adjustable Air temp ,quiet-closing seat and cover ,Night light,Ambient Lighting,Angle valve with filter screen,Pre-Use Bowl Mist,Self-Cleaning Spray Bar,Side button control ,Remote control,LED display,IPX4,Ceramic Built-in water tank (water pressure unrestricted) ,Eco mode,water saving mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure
D	Version B + Automatic Flushing After Full Seat Closure,Male user recognition flush,Built-in Water filter,Auto Open & Close Lid,Hidden Foot Sensor/detection Operation
E	Version D + Wider water massage(N),UV sterilization,Foam shield (concealed) ,Male urinal foam shield,Perfume dispenser,One-click self-cleaning (M9/X/N)
F	Version E + Voice control



No water
pressure limit





Night
ambient light



X50 (With water tank)



SIZE: 600x380x455mm
Heating method: Instant heating type
Roughing-in: S-trap 300/250/220mm
Rated voltage: 220V/110V~



Color optional:




B	Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position,Children washing,Instant water heating,Off-seat flushing,Invisible Foot sensor flushing,Smart dual flushin,silent flushing,Power-off flushing(optional),Heated seat,Adjustable Seat temp,Powerful air Drying,Adjustable Air temp ,quiet-closing seat and cover ,Night light,Ambient Lighting,Angle valve with filter screen,Pre-Use Bowl Mist,Self-Cleaning Spray Bar,Side button control ,Remote control,LED display,IPX4,Ceramic Built-in water tank (water pressure unrestricted) ,Eco mode,water saving mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure,Memory operation(dual user)
D	Version B + Automatic Flushing After Full Seat Closure,Male user recognition flush,Built-in Water filter,Auto Open & Close Lid,Hidden Foot Sensor/detection Operation
E	Version D + Wider water massage(N),UV sterilization,Foam shield (concealed) ,Male urinal foam shield,Perfume dispenser,One-click self-cleaning (M9/X/N)
F	Version E + Voice control



Wall Hung Smart Toilet Series

Hidden water tank
paired with horizontal sewage discharge
space saving

 Splash massage	 Men's urinal shield	 Automatic Seat Cover Closure and Flushing upon Departure
 Laser Foot Sensor flushing	 Intelligent Dual Flush	
 Convenient Control Buttons	 Powerful Air Drying	 Water filter
 One-Touch Self-Cleaning	 Ceramic tank	

- N series
- H series





No water
pressure limit



Night
ambient light




N20 (With water tank)

SIZE: 605x380x355mm
Heating method: Instant heating type
Rated voltage: 220V/110V~



Color optional:



B	Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position,Children washing,Instant water heating,Off-seat flushing,Foot sensor flushing,Smart dual flushing,Power-off flushing(optional),Heated seat,Adjustable Seat temp,Powerful air Drying,Adjustable Air temp,quiet-closing seat and cover,Night light,Ambient Lighting,Angle valve with filter screen,Pre-Use Bowl Mist,Self-Cleaning Spray Bar,Side button control,Remote control,LED display,IPX4,Built-in water tank,Eco mode,water saving mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure
D	Version B + Automatic Flushing After Full Seat Closure,Male user recognition flush,Built-in Water filter,Auto Open & Close Lid,Laser Sensor/detection Operation
E	Version D + Wider water massage,UV sterilization,Foam shield (concealed) ,Male urinal foam shieldPerfume dispenser,One-click self-cleaning
F	Version E + Voice control



No water pressure limit



Night ambient light



User memory function



N50 (With water tank)



SIZE: 600x370x360mm

Heating method: Instant heating type

Rated voltage: 220V/110V~



Color optional:



B	Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position,Children washing,Instant water heating,Off-seat flushing,Foot sensor flushing,Smart dual flushing,Power-off flushing(optional),Heated seat,Adjustable Seat temp,Powerful air Drying,Adjustable Air temp,quiet-closing seat and cover,Night light,Ambient Lighting,Angle valve with filter screen,Pre-Use Bowl Mist,Self-Cleaning Spray Bar,Side button control,Remote control,LED display,IPX4,Built-in water tank,Eco mode,water saving mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure,Memory operation(dual user)
D	Version B + Automatic Flushing After Full Seat Closure,Male user recognition flush,Built-in Water filter,Auto Open & Close Lid,Laser Sensor/detection Operation
E	Version D + Wider water massage,UV sterilization,Foam shield (concealed) ,Male urinal foam shieldPerfume dispenser,One-click self-cleaning
F	Version E + Voice control



Night light



User habit Settings



Soften closing seat





No water pressure limit





Night ambient light



H20 (With water tank)

SIZE: 605x380x355mm
Heating method: Instant heating type
Rated voltage: 220V/110V~



Color optional:



B	Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position ,Children washing,Instant water heating,wider water massage,Off-seat flushing,Laser sensor Flush,Panel dual flushing,Automatic Flushing After Full Seat Closure,power-off flushing,Heated seat,Adjustable Seat temp ,Powerful air Drying,Adjustable Air temp ,quiet flushing,Night light,Ambient Lighting,Angle valve with filter screen,Self-Cleaning Spray Bar,Side button control,Remote control,LED display,IPX4,Wall hinden water tank (water pressure unrestricted) ,Eco mode,water saving mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure
D	Version B + Male user recognition flush,quiet-closing seat and cover,Auto Open & Close Lid,Foot Sensor/detection operation(including flushing,close cover/ring, lift cover/ring)
E	Version D + Voice control




H50 (With water tank)

SIZE: 600x370x360mm
Heating method: Instant heating type
Rated voltage: 220V/110V~




Color optional:



B	Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position ,Children washing,Instant water heating,wider water massage,Off-seat flushing,Laser sensor Flush,Panel dual flushing,Automatic Flushing After Full Seat Closure,power-off flushing,Male user recognition flush,Heated seat,Adjustable Seat temp ,Powerful air Drying,Adjustable Air temp ,quiet flushing,Night light,Ambient Lighting,Angle valve with filter screen,Self-Cleaning Spray Bar,Side button control,Remote control,LED display,Memory operation(dual user),IPX4,Wall hinden water tank (water pressure unrestricted) ,Eco mode,water saving mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure
D	Version B + Quiet-closing seat and cover,Auto Open & Close Lid,Foot Sensor/detection operation(including flushing,close cover/ring, lift cover/ring)
E	Version D + Voice control





No water pressure limit



Suitable for small units



Colorful atmosphere light




H60 (With hidden water tank and panel)

SIZE: 600X370X380mm

Heating method: Instant heating type

Rated voltage: 110V/220V~




A	off-seat flushing, seat heating, adjustable seat temp, night light, soft closing seat and cover, water pressure unrestricted, power off flushing(optional)
B	Version A + bottom /female /Mobile washing, instant warm water, adjustable water temp/pressure, Spray rod self-cleaning, warm air drying, adjustable air temp, induced bowl moisten, LED panel, Remote control, ambient lighting, power off flushing(optional)
D	Version B + Auto open, Foot kick ring open, auto close seat and cover, Men identify flushing, power off flushing(optional)
E	Version D + UV sterilization, foam shield (concealed) 、 power off flushing(optional)
F	Version E + voice control, power off flushing(optional)

Y series



Y Series – Wavy Back

Designed for those unstable electricity markets and can be used for continuous water supply even during power outages

 Splash massage	 Ceramic tank	 User-friendly seat
 Power-off flushing	 Ceramic tank	 Hidden foam solution
 Quiet flush	 UV sterilization	 Mechanical flushing fitting
	 Toilet cleaner	 Perfume spray



No water pressure limit



Children washing



Night ambient light

Y2 (With water tank)




SIZE: 715x460x570mm

Heating method: Instant heating type

Roughing-in: S-trap 300/250/220mm

Rated voltage: 110V/220V~



A	Off-seat flushing,quiet flushing,Mechanical fitting flushing ,Heated seat,Adjustable Seat temp ,extra-wide seat,Night light,Angle valve with filter screen,Dual-knob ,IPX4,Ceramic Built-in water tank (water pressure unrestricted) ,Eco mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure
B	Version A + Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position ,Instant water heating,Water massage,Foot kick/sensor flushing,Air Drying,Adjustable Air temp ,quiet-closing seat and cover,Ambient Lighting,Self-Cleaning Spray Bar,Remote control,LED display
D	Version B + Male user recognition flush,Memory operation,Auto Open & Close Lid,Foot Sensor/detection Operation
E	Version D + Built-in Water filter,UV sterilization,Foam shield (concealed) ,Atomized aroma,toilet cleaner
F	Version E + Voice control



No water
pressure limit



Children
washing



Night
ambient light



Y2-L (With water tank)




SIZE: 715x460x570mm

Heating method: Instant heating type

Roughing-in: S-trap 300/250/220mm

Rated voltage: 110V/220V~



X

No electricity required, bottom /female washing with cold water, Ceramic tank, mechanical flush




F series




Square Shape


Designed for those who value modern living, advanced technology and refined aesthetics.



Splash massage



Men's urinal shield



Automatic Seat Cover Closure and Flushing upon Departure



Laser Foot Sensor flushing



Intelligent Dual Flush



Convenient Control Buttons



Powerful Air Drying



Water filter



One-Touch Self-Cleaning



Ceramic tank



No water pressure limit



Children washing



Night ambient light



User memory function




F2 (With water tank)



SIZE: 660x415x465mm
Heating method: Instant heating type
Roughing-in: P-trap 180mm
Rated voltage: 220V

Color optional:




B	Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position ,Children washing,Instant water heating,wider water massage,Off-seat flushing,Foot kick flushing,Smart dual flushing,Power-off flushing(optional),Heated seat,Adjustable Seat temp,Air Drying,Adjustable Air temp ,quiet-closing seat and cover,Night light,Ambient Lighting,Angle valve with filter screen,Self-Cleaning Spray Bar,Pre-Use Bowl Mist,All in one knob,Remote control,LED display,Memory operation,IPX4,Built-in water tank (water pressure unrestricted) ,Eco mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure
D	Version B + Automatic Flushing After Full Seat Closure ,Male user recognition flush,Auto Open & Close Lid,Foot Sensor
E	Version D +UV sterilization,Foam shield,Atomized Aromar
F	Version E +Voice control

U – Plus Shape

Enlarged seat designed for bigger and taller users, tailored for markets in Central Asia, Europe, and the Middle East.

M series



Splash massage



Intelligent Dual Flush



Ideal for small-space living



Invisible Foot sensor flushing



Powerful Air Drying



Water filter



Men's urinal shield



Hidden foam solution



Ceramic tank



LARGE SEAT YOUR COMFORT ZONE


The seat ring width has been widened to 95mm,
slightly curved design fit the hip curve
larger seating area and more comfortable sitting experience



Widen to **95mm**
larger seating area



95mm



No water pressure limit




User memory function



M8 (With water tank)

SIZE: 715x425x465mm
Heating method: Instant hot water
Roughing-in: S-trap 300mm / 250mm (Rough in: 200~450mm customizable)
Rated voltage: 110V/220V~




B	Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position ,Children washing,Instant water heating,Off-seat flushing,Invisible Foot sensor flushing,Power-off flushing(optional),Heated seat,Adjustable Seat temp ,Air Drying,Adjustable Air temp ,quiet-closing seat and cover,Night light,Ambient Lighting,Angle valve with filter screen,Pre-Use Bowl Mist,Self-Cleaning Spray Bar,Dual-knob,Remote control,LED display,Memory operation,IPX4,Built-in water tank,Eco mode,water saving mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure
D	Version B + Automatic Flushing After Full Seat Closure,Auto Open & Close Lid,Foot Sensor/detection Operation
E	Version D + Male user recognition flush,Built-in Water filter,Foam shield (concealed) ,Male urinal foam shield,toilet cleaner
F	Version E + UV sterilization,reed diffusers,One-click self-cleaning,UVC Waterway sterilization,Voice control



M6 (With water tank)

SIZE: 715X425X465mm
Heating method: Instant heating type
Roughing-in: P-trap 180mm
Rated voltage: 220V



B	Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position,Children washing,Instant water heating,Off-seat flushing,Invisible Foot sensor flushing (optional) ,Power-off flushing(optional),Heated seat,Adjustable Seat temp,air Drying,Adjustable Air temp,quiet-closing seat and cover,Night light,Ambient Lighting,Wider Seat Ring,Angle valve with filter screen,Pre-Use Bowl Mist,Self-Cleaning Spray Bar,side knob/button contry,Remote control,LED display,IPX4,Built-in water tank (water pressure unrestricted) ,Eco mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure
D	Version B + Automatic Flushing After Full Seat Closure,Male user recognition flush,Auto Open & Close Lid,Foot Sensor/detection Operation
E	Version D + UV sterilization,Air Freshener
F	Version E + Voice control





No water pressure limit



Children washing



Night ambient light




User memory function



M2 (With water tank)



SIZE: 710X410X450mm
Heating method: Instant heating type
Roughing-in: P-trap 180mm
Rated voltage: 220V




B	Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position,Children washing,Instant water heating,wider water massage,Off-seat flushing,Invisible Foot sensor flushing (optional) ,Power-off flushing(optional),Heated seat,Adjustable Seat temp,air Drying,Adjustable Air temp,quiet-closing seat and cover,Night light,Ambient Lighting,Wider Seat Ring,Angle valve with filter screen,Pre-Use Bowl Mist,Self-Cleaning Spray Bar,side knob/button contry,Remote control,LED display,Memory operation,IPX4,Built-in water tank (water pressure unrestricted) ,Eco mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure
D	Version B + Automatic Flushing After Full Seat Closure,Male user recognition flush,Auto Open & Close Lid,Foot Sensor/detection Operation
E	Version D + UV sterilization,Foam shield (concealed) ,Air Freshener
F	Version E + Voice control



M9 (With water tank)



SIZE: 710X410X450mm
Heating method: Instant heating type
Roughing-in: P-trap 180mm
Rated voltage: 220V



B	Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position,Children washing,Instant water heating,wider water massage,Off-seat flushing,Invisible Foot sensor flushing (optional) ,Power-off flushing(optional),Heated seat,Adjustable Seat temp,air Drying,Adjustable Air temp,quiet-closing seat and cover,Night light,Ambient Lighting,Wider Seat Ring,Angle valve with filter screen,Pre-Use Bowl Mist,Self-Cleaning Spray Bar,side knob/button contry,Remote control,LED display,IPX4,Built-in water tank (water pressure unrestricted) ,Eco mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure
D	Version B + Automatic Flushing After Full Seat Closure,Male user recognition flush,Auto Open & Close Lid,Foot Sensor/detection Operation
E	Version D + UV sterilization,Foam shield (concealed) ,Air Freshener
F	Version E + Voice control



Night light



LED panel



Soften closing seat

Intentionally intelligent
creation

Making Quality Fit Life




Rotary knob



Wider seat




Foot sensor and seat open



K6 (With water tank)



SIZE: 715X425X465mm
Heating method: Instant heating type
Roughing-in: P-trap 180mm
Rated voltage: 220V




B	Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position,Children washing,Instant water heating,Off-seat flushing,Invisible Foot sensor flushing (optional) ,Power-off flushing(optional),Heated seat,Adjustable Seat temp,air Drying,Adjustable Air temp,quiet-closing seat and cover,Night light,Ambient Lighting,Wider Seat Ring,Angle valve with filter screen,Pre-Use Bowl Mist,Self-Cleaning Spray Bar,side knob/button contry,Remote control,LED display,IPX4,Built-in water tank (water pressure unrestricted) ,Eco mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure
D	Version B + Automatic Flushing After Full Seat Closure,Male user recognition flush,Auto Open & Close Lid,Foot Sensor/detection Operation
E	Version D + UV sterilization,Air Freshener
F	Version E + Voice control



i6 (With water tank)





SIZE: 715X425X495mm
Heating method: Instant heating type
Roughing-in: S-trap 300mm (Rough in: 200~450mm customizable)
P-trap180mm
Rated voltage: 110V/220V~



B	Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position,Children washing,Instant water heating,Off-seat flushing,Invisible Foot sensor flushing (optional) ,Power-off flushing(optional),Heated seat,Adjustable Seat temp,air Drying,Adjustable Air temp,quiet-closing seat and cover,Night light,Ambient Lighting,Wider Seat Ring,Angle valve with filter screen,Pre-Use Bowl Mist,Self-Cleaning Spray Bar,side knob/button contry,Remote control,LED display,IPX4,Built-in water tank (water pressure unrestricted) ,Eco mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure
D	Version B + Automatic Flushing After Full Seat Closure,Male user recognition flush,Auto Open & Close Lid,Foot Sensor/detection Operation
E	Version D + UV sterilization,Air Freshener
F	Version E + Voice control



High end features
All you want is here



No water
pressure limit



Children
washing




User memory
function



U6 (With water tank)



SIZE: 715X440X470mm
Heating method: Instant heating type
Roughing-in: S-trap 300mm (Rough in: 200~450mm customizable)
P-trap180mm
Rated voltage: 110V/220V~




B	Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position,Children washing,Instant water heating,Off-seat flushing,Invisible Foot sensor flushing (optional) ,Power-off flushing(optional),Heated seat,Adjustable Seat temp,air Drying,Adjustable Air temp,quiet-closing seat and cover,Night light,Ambient Lighting,Wider Seat Ring,Angle valve with filter screen,Pre-Use Bowl Mist,Self-Cleaning Spray Bar,side knob/button contry,Remote control,LED display,IPX4,Built-in water tank (water pressure unrestricted) ,Eco mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure,Memory operation
D	Version B + Automatic Flushing After Full Seat Closure,Male user recognition flush,Auto Open & Close Lid,Foot Sensor/detection Operation
E	Version D + UV sterilization,Air Freshener
F	Version E + Voice control


Q Shape

Best value choice – premium comfort without the premium price.

Q series

 Instant warm water	 Quiet flush	 Water filter
 Rotary knob	 UV sterilization	
 User-friendly seat	 Powerful Air Drying	 Foam shield
	 No water pressure limitation	 Dynamic UVC waterway sterilization





No water pressure limit




Children washing



Q12 (With water tank)


SIZE: 715X440X470mm
Heating method: Instant heating type
Roughing-in: S-trap 300mm (Rough in: 200~450mm customizable)
P-trap180mm
Rated voltage: 110V/220V~




A	Off-seat flushing, Foot sensor/Foot kick flushing, Power-off flushing(optional), Heated seat, Adjustable Seat temp, quiet-closing seat and cover, Night light, Angle valve with filter screen, Pre-Use Bowl Mist, Button control, IPX4, Ceramic Built-in water tank, Eco mode, Leakage protection(GFCI plug), Anti Dry-burn technology, Anti over-heating technology, Anti-retardent material, Anti-freezing structure, Silent flushing
B	Version A + Rear wash, Feminine wash, Oscillating/mobile wash, Adjustable water pressure/temperature, Adjustable nozzle position , Children washing, Instant water heating, Powerful air Drying, Adjustable Air temp, Self-Cleaning Spray Bar, Remote control, LED display, Ambient Lighting
D	Version B + Automatic Flushing After Full Seat Closure, Male user recognition flush, Built-in Water filter, Auto Open & Close Lid, Foot Sensor/detection Operation
E	Version D + UV sterilization, Foam shield (concealed) for 1000 times use, Male urinal foam shield, Perfume dispenser-Mist, toilet cleaner
F	Version E + One-click self-cleaning, UVC Waterway sterilization, Voice control



Q9 (With water tank)



SIZE: 680X410X455mm
Heating method: Instant warm water
Roughing-in: P-trap 180mm
Rated voltage: 220V



Color optional:



A	Off-seat flushing, Foot sensor/ Foot kick flushing, Power-off flushing (optional), Heated seat, Adjustable Seat temp, quiet-closing seat and cover, Night light, Angle valve with filter screen, Pre-Use Bowl Mist, Button control, IPX4, Ceramic Built-in water tank, Eco mode, Leakage protection (GFCI plug), Anti Dry-burn technology, Anti over-heating technology, Anti-retardent material, Anti-freezing structure
B	Version A + Rear wash, Feminine wash, Oscillating/mobile wash, Adjustable water pressure/temperature, Adjustable nozzle position , Children washing, Instant water heating, Powerful air Drying, Adjustable Air temp, Self-Cleaning Spray Bar, Remote control, LED display
D	Version B + Automatic Flushing After Full Seat Closure, Male user recognition flush, Ambient Lighting, Memory operation, Auto Open & Close Lid, Foot Sensor/detection Operation
E	Version D + Water massage, UV sterilization, Foam shield (concealed) for 1000 times use, Male urinal foam shield, Perfume dispenser-Mist
F	Version E + Voice control



Ambient lighting



Rotary knob




User habit Settings

V Shape

Designed for ergonomic comfort, perfect for markets in America and Southeast Asia.

V series

 Heated seat	 off-seat flushing	 Instant warm water
 Warm air drying	 Soft-closing	
 UV sterilization	 ambient light	 Foot sensing ring open
	 No water pressure limitation	



SENSITIVE INDUCTION

Automatically open when getting close



Two working states by men



- a. Automatic cover open when human body come close
- b. Kick and cover open
- c. Men urinate by standing up
- d. Automatically close the seat and cover, and flush after 2 minutes

HUMAN PERCEPTION SUPER SMART

Humanized sensing function,
close to opening and
leaving closing the lid



Working state by woman



- a. Automatic cover open when human body come close.
- b. Seat senses human body's sitting down and begins to execute
- c. Automatic flush once body leave the seat
- d. Automatically close the cover after 30 seconds

AMBIENT LIGH

Add a sense of atmosphere
to the bathroom
creating a relaxed and comfortable
bathroom atmosphere



ACCOMPANIED BY NIGHT LIGHTS

Caring for every moment
guarding users to use the toilet at night.



BOOSTING PUMP

The new flushing system has lower noise compared to traditional sinking flushing systems



No water
press limit

SINKING MODE CISTERN

Built in water tank design, equipped with efficient water accessories and dual water path design, making water washing more hygienic



- ✓ High floors
- ✓ Old residential area
- ✓ Peak water usage period



No water pressure limit



Children washing



Night ambient light



User memory function



V6 (With water tank)




SIZE: 705X435X475mm

Heating method: Instant heating type

Roughing-in: S-trap 300mm (Rough in: 200~450mm customizable)

Rated voltage: 110V/220V~



B

Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position,Children washing,Instant water heating,Water massage,Off-seat flushing,Foot sensor / Kick flushing,Power-off flushing(optional),Heated seat,Adjustable Seat temp,Air Drying,Adjustable Air temp,quiet-closing seat and cover,Night light,Ambient Lighting,Angle valve with filter screen,Self-Cleaning Spray Bar,Pre-Use Bowl Mist,Dual-knob control,Remote control,LED display,Memory operation,IPX4,Built-in water tank (water pressure unrestricted) ,Eco mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure

D

Version B + Automatic Flushing After Full Seat Closure,Male user recognition flush,Auto Open & Close Lid,Foot Sensor / detection Operation

E

Version D + UV sterilization,Foam shield (concealed) ,Perfume dispenser,Doorbell-style remote control

F

Version E + Voice control



User habit Settings



LED panel



Dual Knobs





No water pressure limit



Children washing



Night ambient light




User memory function



V9 (With water tank)



SIZE: 705X445X480mm
Heating method: Instant heating type
Roughing-in: S-trap 300mm (Rough in: 200~450mm customizable)
Rated voltage: 110V/220V~



B	Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position,Children washing,Instant water heating,Water massage,Off-seat flushing,Foot sensor / Kick flushing,Power-off flushing(optional),Heated seat,Adjustable Seat temp,Air Drying,Adjustable Air temp,quiet-closing seat and cover,Night light,Ambient Lighting,Angle valve with filter screen,Self-Cleaning Spray Bar,Pre-Use Bowl Mist,Dual-knob control,Remote control,LED display,Memory operation,IPX4,Built-in water tank (water pressure unrestricted) ,Eco mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure
D	Version B + Automatic Flushing After Full Seat Closure,Male user recognition flush,Auto Open & Close Lid,Foot Sensor / detection Operation
E	Version D + UV sterilization,Foam shield (concealed) ,Perfume dispenser,Doorbell-style remote control
F	Version E + Voice control



No water pressure limit



Children washing



Night ambient light



User memory function



V12 (With water tank)




SIZE: 705X445X465mm

Heating method: Instant heating type

Roughing-in: S-trap 300mm (Rough in: 200~450mm customizable)

Rated voltage: 110V/220V~



B

Rear wash,Feminine wash,Oscillating/mobile wash,Adjustable water pressure/temperature,Adjustable nozzle position,Children washing,Instant water heating,Water massage,Off-seat flushing,Foot sensor / Kick flushing,Power-off flushing(optional),Heated seat,Adjustable Seat temp,Air Drying,Adjustable Air temp,quiet-closing seat and cover,Night light,Ambient Lighting,Angle valve with filter screen,Self-Cleaning Spray Bar,Pre-Use Bowl Mist,Dual-knob control,Remote control,LED display,Memory operation,IPX4,Built-in water tank (water pressure unrestricted) ,Eco mode,Leakage protection(GFCI plug),Anti Dry-burn technology,Anti over-heating technology,Anti-retardent material,Anti-freezing structure

D


Version B + Automatic Flushing After Full Seat Closure,Male user recognition flush,Auto Open & Close Lid,Foot Sensor / detection Operation

E

Version D + UV sterilization,Foam shield (concealed) ,Perfume dispenser,Doorbell-style remote control

F

Version E + Voice control



Standard U Shape

Cost-effective and built for international markets –
delivering smart value and reliable comfort to customers
worldwide.

V series





No water
pressure limit



Children
washing



T9 (With water tank)




SIZE: 705X405X478mm

Heating method: Instant heating type

Roughing-in: S-trap 300mm (Rough in: 200~450mm customizable)

Rated voltage: 110V/220V~



A	Off-seat flushing, Foot sensor / Kick flushing, Power-off flushing(optional), Heated seat, Adjustable Seat temp, quiet-closing seat and cover, Night light, Angle valve with filter screen, All in 1 Side Knob, IPX4, Built-in water tank (water pressure unrestricted) ,Eco mode, Leakage protection(GFCI plug), Anti Dry-burn technology, Anti over-heating technology, Anti-retardent material, Anti-freezing structure
B	Version A + Off-seat flushing, Foot sensor / Kick flushing, Power-off flushing(optional), Heated seat, Adjustable Seat temp, quiet-closing seat and cover, Night light, Angle valve with filter screen, All in 1 Side Knob, IPX4, Built-in water tank (water pressure unrestricted) ,Eco mode, Leakage protection(GFCI plug), Anti Dry-burn technology, Anti over-heating technology, Anti-retardent material, Anti-freezing structure
D	Version B + Male user recognition flush, Auto Open & Close Lid
E	Version D + UV sterilization, Air Freshener
F	Version E + Voice control




Rotary knob



Wider seat



Foot kick and seat open



T6 (With water tank)




SIZE: 705X405X482mm

Heating method: Instant heating type

Roughing-in: S-trap 300mm (Rough in: 200~450mm customizable)

Rated voltage: 110V/220V~



A	Off-seat flushing, Foot sensor / Kick flushing, Power-off flushing(optional), Heated seat, Adjustable Seat temp, quiet-closing seat and cover, Night light, Angle valve with filter screen, All in 1 Side Knob, IPX4, Built-in water tank (water pressure unrestricted) , Eco mode, Leakage protection(GFCI plug), Anti Dry-burn technology, Anti over-heating technology, Anti-retardent material, Anti-freezing structure
B	Version A + Off-seat flushing, Foot sensor / Kick flushing, Power-off flushing(optional), Heated seat, Adjustable Seat temp, quiet-closing seat and cover, Night light, Angle valve with filter screen, All in 1 Side Knob, IPX4, Built-in water tank (water pressure unrestricted) , Eco mode, Leakage protection(GFCI plug), Anti Dry-burn technology, Anti over-heating technology, Anti-retardent material, Anti-freezing structure
D	Version B + Male user recognition flush, Auto Open & Close Lid
E	Version D + UV sterilization, Air Freshener
F	Version E + Voice control



No water
pressure limit



Children
washing



T2 (With water tank)




SIZE: 700X405X482mm

Heating method: Instant heating type

Roughing-in: S-trap 300mm (Rough in: 200~450mm customizable)

Rated voltage: 110V/220V~



A	Off-seat flushing, Foot sensor / Kick flushing, Power-off flushing(optional), Heated seat, Adjustable Seat temp, quiet-closing seat and cover, Night light, Angle valve with filter screen, All in 1 Side Knob, IPX4, Built-in water tank (water pressure unrestricted) , Eco mode, Leakage protection(GFCI plug), Anti Dry-burn technology, Anti over-heating technology, Anti-retardent material, Anti-freezing structure
B	Version A + Off-seat flushing, Foot sensor / Kick flushing, Power-off flushing(optional), Heated seat, Adjustable Seat temp, quiet-closing seat and cover, Night light, Angle valve with filter screen, All in 1 Side Knob, IPX4, Built-in water tank (water pressure unrestricted) , Eco mode, Leakage protection(GFCI plug), Anti Dry-burn technology, Anti over-heating technology, Anti-retardent material, Anti-freezing structure
D	Version B + Male user recognition flush, Auto Open & Close Lid
E	Version D + UV sterilization, Air Freshener
F	Version E + Voice control



Pollutant discharge
Method Adjust

Telescopic
Sewage Pipe

• Unlimited •
• Free sewage •
• pipe mouth •

First generation
model


entry-level series

Engineered for international markets with cost-effectiveness at its core – premium performance, accessible pricing



The height of the center point of the reserved sewage outlet should not exceed 180mm from the ground. The height of the center point of the reserved sewage outlet should not exceed 180mm from the ground.






951 (With water tank)

SIZE: 680x390x470mm
Heating method: Quick heating type
P-trap: 180mm
Roughing-in: S-trap 300mm (Rough in: 200~450mm customizable)

A	Off-seat flushing, Foot kick/sensor flushing, Power-off flushing(optional), Heated seat, Adjustable Seat temp, quiet-closing seat and cover, Night light, IPX4, Built-in water tank, Eco mode, Leakage protection(GFCI plug), Anti Dry-burn technology, Anti over-heating technology, Anti-retardent material, Anti-freezing structure
B	Version A + Rear wash, Feminine wash, Oscillating/mobile wash, Adjustable water pressure/temperature, Adjustable nozzle position , Children washing, Instant water heating, Smart dual flushing, Powerful air Drying, Adjustable Air temp, Angle valve with filter screen, Self-Cleaning Spray Bar, Pre-Use Bowl Mist, Knob/Button control, Remote control, LED display
D	Version B + Automatic Flushing , Male user recognition flush, Auto Open & Close Lid, Foot Sensor/detection Operation



946 (With water tank)


SIZE: 680x390x470mm
Heating method: Quick heating type
P-trap: 180mm
Roughing-in: S-trap 300mm (Rough in: 200~450mm customizable)

A	Off-seat flushing, Foot kick/sensor flushing, Power-off flushing(optional), Heated seat, Adjustable Seat temp, quiet-closing seat and cover, Night light, IPX4, Built-in water tank, Eco mode, Leakage protection(GFCI plug), Anti Dry-burn technology, Anti over-heating technology, Anti-retardent material, Anti-freezing structure
B	Version A + Rear wash, Feminine wash, Oscillating/mobile wash, Adjustable water pressure/temperature, Adjustable nozzle position , Children washing, Instant water heating, Smart dual flushing, Powerful air Drying, Adjustable Air temp, Angle valve with filter screen, Self-Cleaning Spray Bar, Pre-Use Bowl Mist, Knob/Button control, Remote control, LED display
D	Version B + Automatic Flushing , Male user recognition flush, Auto Open & Close Lid, Foot Sensor/detection Operation

Egg Shape

Unique & Special, designed for unconventional and independent-minded young people

K series




Splash massage



water filter




No water pressure limitation



Instant warm water



Air-Perfume spray



Powerful Air Drying



Separate water circuits



foam shield



Hidden foam solution





No water
pressure limit



Children
washing




K7 (With water tank)

SIZE: 600X500X550mm

Heating method: Instant heating type

Roughing-in: S-trap 300/250/220mm

Rated voltage: 220V/110V~



A	Full-sensor seat ring, concealed foam shield, ambient breathing lights, 360° foam shield, atomized aromatherapy, doorbell-style remote control, kick-activated flush, seat heating, seat temperature adjustable, night light, knob control, induced bowl moisten, power off flushing(optional)
A-plus	Version A+ Men's Urinal Foam Shield、 HD display screen、 Breathable ambient lighting、 flushing after seat close、 Men identify flushing
B	Version A + Water filter, smart dual-flush system, powerful air drying, spa-like mist cleaning, bottom /female /Mobile washing, instant warm water, adjustable water temp/ pressure、 Spray rod self-cleaning、 adjustable air temp、 LED panel、 Remote control、 ambient lighting、 power off flushing(optional)
D	Version B + Auto open/close seat and cover、 Foot kick ring open、 Men identify flushing、 UV sterilization、 Men's Urinal Foam Shield、 power off flushing (optional)
F	Version D + voice control、 Sedentary Reminder、 power off flushing(optional)





No water
pressure limit




Children
washing



K2 (With water tank)

SIZE: 605X500X540mm
Heating method: Instant heating type
Roughing-in: S-trap 300/250/220mm
Rated voltage: 220V/110V~



A	off-seat flushing, seat heating, adjustable seat temp., night light, soft closing seat and cover, Electric leakage protection, Flame retardant seat, water pressure unrestricted, foot kicking flushing, power off flushing(optional)
B	Version A + bottom /female /Mobile washing, instant warm water, adjustable water temp/pressure, Children Washing, Spray rod self-cleaning, warm air drying, adjustable air temp., induced bowl moisten, LED panel, Remote control, ambient lighting, power off flushing(optional)
D	Version B + Auto open, Foot kick ring open, auto close seat and cover, Men identify flushing, UV sterilization, power off flushing(optional)



Egg shaped appearance




Wider seat



Foot kick and seat open






K9 (With water tank)
K29 (With water tank)



SIZE: 690X500X540mm
Heating method: Instant heating type
Roughing-in: S-trap 300/250/220mm
Rated voltage: 220V/110V~



K9	A	off-seat flushing, seat heating, adjustable seat temp, night light, soft closing seat and cover, Electric leakage protection, Flame retardant seat, water pressure unrestricted, foot kicking flushing, power off flushing(optional)
	B	Version A +bottom /female /Mobile washing, instant warm water, adjustable water temp/pressure, Children Washing, Spray rod self-cleaning, warm air drying, adjustable air temp, induced bowl moisten, LED panel, Remote control, power off flushing(optional)
	D	Version B + Auto open, Foot kick ring open, auto close seat and cover, Men identify flushing, power off flushing (optional)
K29	E	Version D +UV sterilization, foam shield (concealed) , Water filter, Air-Perfume spray, power off flushing(optional)
	F	Version E +voice control, power off flushing(optional)



No water pressure limit



Children washing



User memory function



K17 (With water tank)

K27 (With water tank)




SIZE: 690X500X535mm

Heating method: Instant heating type

Roughing-in: S-trap 300/250/220mm

Rated voltage: 220V/110V~



K17	A	off-seat flushing, seat heating, adjustable seat temp, night light, soft closing seat and cover, Electric leakage protection, Flame retardant seat, water pressure unrestricted, foot kicking flushing, power off flushing(optional)
	B	Version A + bottom /female /Mobile washing, instant warm water, adjustable water temp/pressure, Spray rod self-cleaning, warm air drying, adjustable air temp, induced bowl moisten, LED panel, Children Washing, Dual-knob control, User Habit Setting, Remote control, power off flushing(optional)
	D	Version B + Auto open, Foot kick ring open, auto close seat and cover, Men identify flushing, power off flushing (optional)
K27	E	Version D + UV sterilization, foam shield (concealed) , Water filter, Air-Perfume spray, power off flushing(optional)
	F	Version E + voice control, power off flushing(optional)

